


ALDERLEA CAST-IRON OVER STEEL SERIES



ALDERLEA T4 CLASSIC

FREESTANDING STOVE

FOR SMALL TO MEDIUM ROOMS



The T4, and the T4 Classic in porcelain enamel, incorporates a huge glass window for a clean view of the flame, warming shelves that swing out to reveal a concealed cook top, efficient heat output and unmatched ease of use. It's a powerful, reliable source of heat with old world charm and unmatched durability.

Heat Output Cord Wood

56,000 BTU

26,300 BTU EPA Test Fuel

EFFICIENCY (LHV) 80.7%
EMISSIONS 2.9 GM/HR.
LOG SIZE (MAX) 16–18 INCHES
FIREBOX SIZE 1.4 CU.FT.
GLASS VIEWING AREA 118 SQ.IN.
WEIGHT 430 LB.

STANDARD FEATURES

Reliable, Durable Non-Catalytic Technology
Floating Firebox for extended stove life
Multi-Port Combustion Air Injection System
Airwash Technology for clear, clean glass
Swing out food warming shelves
Easy cleaning ash system and chute
Inside and outside combustion air capable
Boost air for easy lighting
Concealed cooktop fits 6" x 13" pan
Fits close wall clearances without heat shields
Steel Baffle and 304 Stainless Steel insulation cover
Mobile Home approved

DESIGN OPTIONS

Metallic black cast iron finish (T4) T4 Classic: Majolica, Ebony and Antique White porcelain enamel finish

PERFORMANCE OPTIONS

Variable-Speed Blower









ALDERLEA T5 CLASSIC

FREESTANDING STOVE

FOR MEDIUM ROOMS



The T5, and the T5 Classic in porcelain enamel, combine the best of cast iron and steel stoves for radiant and convective heat. With a concealed cooktop and a huge glass window for a clean view of the flame, the T5's are easy-to-light, easy-to use, long-burning wood heaters with old world charm.

Heat Output Cord Wood

72,000 BTU

34,600 BTU EPA Test Fuel

EFFICIENCY (LHV) 82.6%
EMISSIONS 3.4 GM/HR.
LOG SIZE (MAX) 18 INCHES
FIREBOX SIZE 2.2 CU.FT.
GLASS VIEWING AREA 138 SQ.IN.
WEIGHT 490 LB.

STANDARD FEATURES

Reliable, Durable Non-Catalytic Technology
Floating Firebox for extended stove life
Multi-port combustion air injection system
Airwash Technology for clear, clean glass
Swing out food warming shelves
Easy cleaning ash system and chute
Inside and outside combustion air capable
Boost air for easy lighting
Concealed cooktop fits 9" x 11" pan
Fits close wall clearances without heat shields
Steel baffle and 304 Stainless Steel insulation cover
Mobile Home approved

DESIGN OPTIONS

Metallic black cast iron finish (T5) T5 Classic: Majolica, Ebony, and Antique White porcelain enamel finish

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower









FREESTANDING STOVE

FOR MEDIUM TO LARGE ROOMS







By wrapping a cast iron profile around Pacific Energy's high-performance steel firebox, the T6 produces radiant and convection heat. It's crafted for maximum heating capacity, with Extended Burn Technology (EBT) for all-night burn times, and features a family-sized cooktop and a huge glass window.

Heat Output Cord Wood

99,000 BTU

38,600 BTU EPA Test Fuel

EFFICIENCY (LHV) 80.4%
EMISSIONS 3.9 GM/HR.
LOG SIZE (MAX) 18–20 INCHES
FIREBOX SIZE 3.0 CU.FT.
GLASS VIEWING AREA 165 SQ.IN.
WEIGHT 560 LB.

STANDARD FEATURES

Reliable, Durable Non-Catalytic Technology Floating firebox for extended stove life Multi-Port Combustion Air Injection System Airwash Technology for clear, clean glass Extended Burn Technology (EBT) Swing out food warming shelves Easy cleaning ash system and chute Inside and outside combustion air capable Boost air for easy lighting Concealed cooktop fits 12" x 15" pan fits close wall clearances without heat shields Steel baffle and 304 Stainless Steel insulation cover Mobile Home approved Metallic black cast iron finish

PERFORMANCE OPTIONS

Temperature-Actuated Variable-Speed Blower









CAST IRON OVER STEEL


Until we pioneered the Alderlea line, and its revolutionary iron-wrapped steel firebox, a cast-iron stove was just that: cast iron. The Alderlea design makes the most of each metal: the steel stove and floating firebox is free to expand and contract, and its design maximizes convective heat efficiency, while the cast iron wrapping provides radiant heat. This superior system greatly extends longevity over an all cast stove. Metal fatigue is no longer a factor, allowing us to offer the industry's first lifetime warranty on a cast stove.

This technical innovation lives "under the skin" of the Alderlea line, which maintains the beloved traditional woodstove appearance. We say it's "powered by design, and crafted by tradition".



BAFFLE **SYSTEM**

Pacific Energy is a recognized industry leader in "clean burn" technology, as exemplified in our unique high capacity baffle system for preheating secondary combustion air for re-burning. By burning the combustible elements in the air, we improve our stoves' environmental performance while significantly reducing the amount of wood that is consumed.





FLOATING FIREBOX

Our floating firebox system is legendary in the industry. Solidly designed with steel bricksupport rails, it allows key parts to freely expand and contract, which reduces metal fatigue and adds years of life to the entire fireplace. The steel baffle (part of the cleanburning secondary combustion system) and the flame shield (which protects the stove top from intense heat) are all part of the floating firebox system.



KNIFE EDGE DOOR

A formed and welded knife edge opening creates a superior air tight seal to the door gasket while strengthening the stove face. This is a more labor intensive design but our experience has proven this is the best way to manufacture a fireplace.






EBT2 EXTENDED BURN


Our second-generation Extended Burn Technology, or EBT2, precisely regulates secondary airflow based on vacuum created by the chimney for a longer, cleaner, more economical burn. This automatically adjusts the secondary combustion system, for a cleaner, more efficient burn and extended burn time.

_B.		BURN TIME		
EFFIC				no EBT2
MAI	Combustion Air	Fuel Quality	Draft	EBT2
∹તા				




Pacific Energy developed the first effective airwash manifold system, a design that flows pre-heated air to the glass surface to keep it clean. A refined design now creates a highpressure zone in the center and forces air to flow from above and across the glass. Even at low air settings, we are confident that our airwash system is the most effective available. And that our glass doors are among the cleanest in the industry.





ALDERLEA T5



ALDERLEA T6

TECHNOLOGIES

AIR WASH

BAFFLE SYSTEM

CAST IRON **OVER STEEL**

EBT2 EXTENDED BURN
ALDERLEA TO ONLY

FLOATING FIREBOX

KNIFE EDGE DOOR

SELF SEALING **ASH DUMP**

SINGLE LEVER

CANADA	ALDERLEA T4 T4 CLASSIC					ALDERLEA	T5 T5 CLA	SSIC			ALDERLEA T6					
	A	В	С	D	E	Α	В	С	D	E	A	В	С	D	E	
Minimum (Not extended)	40"	43 1/4"	58 1/8"	55 1/4"	27"	40"	50 1/2"	63 5/8"	59 1/8"	30 7/8"	43"	54 3/4"	69"	64"	33 1/2"	
Residential, single wall, vertical connector	40"	50 1/4"	60 7/8"	57 1/4"	29"	40"	54 1/2"	67 7/8"	62 1/8"	33 7/8"	43"	55 3/4"	66"	62"	31 1/2"	
Residential, single wall, horizontal connector	40"	48 1/4"	60 7/8"	57 1/4"	29"	40"	50 1/2"	67 7/8"	62 1/8"	33 7/8"	43"	55 3/4"	66"	62"	31 1/2"	
Residential, double wall, vertical connector	40"	42 1/4"	51"	50 1/4"	22"	40"	47 1/2"	58"	55 1/8"	26 7/8"	43"	54 3/4"	64 3/4"	61"	30 1/2"	
Residential, double wall, horizontal connector	40"	42 1/4"	51"	50 1/4"	22"	40"	47 1/2"	58"	55 1/8"	26 7/8"	43"	54 3/4"	64 3/4"	61"	30 1/2"	
Alcove, double wall, connector	40""	46 1/4"	-	-	-	40"	52 1/2"	-	-	-	43"	56 3/4"	-	-	-	
Mobile home	40"	47 1/4"	58 1/8"	55 1/4"	27"	40"	50 1/2"	63 5/8"	59 1/8"	30 7/8"	43"	56 3/4"	69"	64"	33 1/2"	

USA	ALDERLEA T4 T4 CLASSIC					ALDERLEA	T5 T5 CLA	SSIC			ALDERLEA T6					
	A	В	С	D	E	A	В	С	D	E	Α	В	С	D	E	
Minimum (Not extended)	32"	33 1/4"	53 1/4"	50 3/8"	25"	34"	40 1/2"	49 7/8"	47 3/8"	23 1/4"	35"	40 1/2"	62 3/4"	56 3/4"	32"	
Residential, single wall, vertical connector	32"	46 1/4"	58 7/8"	53"	30 3/8"	34"	48 1/2"	65 7/8"	58 3/8"	34 1/4"	35"	49 1/2"	60"	54 3/4"	30"	
Residential, single wall, horizontal connector	32"	46 1/4"	58 7/8"	53"	30 3/8"	34"	48 1/2"	65 7/8"	58 3/8"	34 1/4"	35"	49 1/2"	60"	54 3/4"	30"	
Residential, double wall, vertical connector	32"	40 1/4"	49"	46"	23 3/8"	34"	45 1/2"	55 5/8"	51 3/8"	27 1/4"	35"	48"	58 1/2"	53 3/4"	29"	
Residential, double wall, horizontal connector	32"	40 1/4"	49"	46"	23 3/8"	34"	45 1/2"	55 5/8"	51 3/8"	27 1/4"	35"	48"	58 1/2"	53 3/4"	29"	
Alcove, double wall, connector	32"	44 1/4"				34"	50 1/2"				35"	50 1/2"				
Mobile home	32"	45 1/4"	56 1/8"	51"	28 3/8"	34"	48 1/2"	61 1/4"	55 3/8"	31 1/4"	35"	50 1/2"	62 3/4"	56 3/4"	32"	

CLEARANCES TO COMBUSTABLES		From top	STRAI	GHT (VERTIC	GHT (VERTICAL CONNECTOR)			GHT (HORIZO	NTAL CONNE	CTOR)	CORNER		ALCOVE				
		ceiling	A	В	C	D	A	В	С	D	E	F	G	Н	1	J	
RESIDENTIAL SINGLE WALL CONNECTOR	ALDERLEA T4	56 3/4"	15"	14"	20 3/4"	26"	13"	14"	18 3/4"	26"	10"	22 5/8"	N/A	N/A	N/A	N/A	
	ALDERLEA T5	55 1/4"	12"	18"	22"	30"	8"	14"	18"	26"	11"	25"	N/A	N/A	N/A	N/A	
	ALDERLEA T6	56 1/2"	9"	14"	17 3/4"	28 3/4"	9"	14"	17 3/4"	28 3/4"	6"	20 1/4"	N/A	N/A	N/A	N/A	
RESIDENTIAL	ALDERLEA T4	56 3/4"	7"	12"	12 3/4"	24"	7"	12"	12 3/4"	24"	3"	15 5/8"	11"	12"	16 3/4"	24"	
DOUBLE WALL	ALDERLEA T5	55 1/4"	5"	14"	15"	26"	5"	14"	15"	26"	4"	18"	10"	16"	20"	28"	
CONNECTOR	ALDERLEA T6	56 1/2"	7 1/2"	13"	16 1/4"	27 3/4"	7 1/2"	13"	16 1/4"	27 3/4"	5"	19 1/4"	10"	16"	18 3/4"	30 3/4"	
MOBILE HOME	ALDERLEA T4	56 3/4"	12"	12"	17 3/4"	24"	N/A	N/A	N/A	N/A	8"	20 5/8"	N/A	N/A	N/A	N/A	
DOUBLE WALL CONNECTOR	ALDERLEA T5	55 1/4"	8"	16"	18"	28"	N/A	N/A	N/A	N/A	8"	22"	N/A	N/A	N/A	N/A	
	ALDERLEA T6	56 1/2"	10"	18"	18 3/4"	32 3/4"	N/A	N/A	N/A	N/A	8"	22 1/4"	N/A	N/A	N/A	N/A	



