

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|-----------------------------|----------------------------|-------------------------------|--------------------------|
| 1 | 10192592 | | Ben BP | Leg BP | Cast iron, min.4mm thick |
| 1 | 10192527 | | Ben BBE | Leg BBE | Cast iron, min.4mm thick |
| 1 | 10192532 | | Ben OGE | Leg OGE | Cast iron, min.4mm thick |
| 1 | 10192529 | | Ben IVE | Leg IVE | Cast iron, min.4mm thick |
| 1 | 10192536 | | Ben IBE | Leg IBE | Cast iron, min.4mm thick |
| 1 | 10192546 | | Ben GRE | Leg GRE | Cast iron, min.4mm thick |
| 1 | 10192547 | | Ben BRM | Leg BRM | Cast iron, min.4mm thick |
| 1 | 10192548 | | Ben BLM | Leg BLM | Cast iron, min.4mm thick |
| 1 | 10192549 | | Ben GRM | Leg GRM | Cast iron, min.4mm thick |
| 2 | 10243892 | | Vrider (sidedør) BP | Latch (side door) BP | Cast iron, min.4mm thick |
| 2 | 126243 | | Vrider (sidedør) Forniklet | Latch (side door) Nickl.crom. | Cast iron, min.4mm thick |
| 3 | | | Askehus | Ash house | Cast iron, min.4mm thick |
| 3 | 155719 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett BP | Ash house complete BP | Cast iron, min.4mm thick |
| 3 | 155720 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett BBE | Ash house complete BBE | Cast iron, min.4mm thick |
| 3 | 155721 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett OGE | Ash house complete OGE | Cast iron, min.4mm thick |
| 3 | 155722 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett IVE | Ash house complete IVE | Cast iron, min.4mm thick |
| 3 | 156173 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett GRE | Ash house complete GRE | Cast iron, min.4mm thick |
| 3 | 156329 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett BRM | Ash house complete BRM | Cast iron, min.4mm thick |
| 3 | 156547 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett BLM | Ash house complete BLM | Cast iron, min.4mm thick |
| 3 | 156983 | 3,4,39,48,50,56,59,62,63,64 | Askehus komplett GRM | Ash house complete GRM | Cast iron, min.4mm thick |
| 4 | | | Askedør | Ash door | Cast iron, min.4mm thick |
| 5 | 153776 | 5,29 | Røykstuss BP | Smoke outlet BP | Cast iron, min.4mm thick |
| 5 | 153772 | 5,29 | Røykstuss BBE | Smoke outlet BBE | Cast iron, min.4mm thick |
| 5 | 153774 | 5,29 | Røykstuss OGE | Smoke outlet OGE | Cast iron, min.4mm thick |
| 5 | 153773 | 5,29 | Røykstuss IVE | Smoke outlet IVE | Cast iron, min.4mm thick |
| 5 | 153775 | 5,29 | Røykstuss IBE | Smoke outlet IBE | Cast iron, min.4mm thick |
| 5 | 156128 | 5,29 | Røykstuss GRE | Smoke outlet GRE | Cast iron, min.4mm thick |
| 5 | 156326 | 5,29 | Røykstuss BRM | Smoke outlet BRM | Cast iron, min.4mm thick |
| 5 | 156535 | 5,29 | Røykstuss BLM | Smoke outlet BLM | Cast iron, min.4mm thick |
| 5 | 156980 | 5,29 | Røykstuss GRM | Smoke outlet GRM | Cast iron, min.4mm thick |
| 6 | 10332912 | | Fyrrist | Fire grate | Cast iron, min.4mm thick |
| 7 | 10334416 | | Ventil, GAMMEL TYPE | Air valve OLD TYPE | Cast iron, min.4mm thick |
| 7 | Use pos 55 | | Ventil, NY TYPE | Air valve NEW TYPE | Cast iron, min.4mm thick |
| 8 | 10384092 | | Bunn BP | Bottom BP | Cast iron, min.4mm thick |
| 8 | 10384027 | | Bunn BBE | Bottom BBE | Cast iron, min.4mm thick |
| 8 | 10384032 | | Bunn OGE | Bottom OGE | Cast iron, min.4mm thick |
| 8 | 10384029 | | Bunn IVE | Bottom IVE | Cast iron, min.4mm thick |
| 8 | 10384036 | | Bunn IBE | Bottom IBE | Cast iron, min.4mm thick |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|-------------------|------------------|-------------------|--------------------------|
| 8 | 10384046 | | Bunn GRE | Bottom GRE | Cast iron, min.4mm thick |
| 8 | 10384047 | | Bunn BRM | Bottom BRM | Cast iron, min.4mm thick |
| 8 | 10384048 | | Bunn BLM | Bottom BLM | Cast iron, min.4mm thick |
| 8 | 10384049 | | Bunn GRM | Bottom GRM | Cast iron, min.4mm thick |
| 9 | 10384112 | | Innerbunn | Inner bottom | Cast iron, min.4mm thick |
| 10 | 10384292 | | Bakstykke BP | Rear plate BP | Cast iron, min.4mm thick |
| 10 | 10384227 | | Bakstykke BBE | Rear plate BBE | Cast iron, min.4mm thick |
| 10 | 10384232 | | Bakstykke OGE | Rear plate OGE | Cast iron, min.4mm thick |
| 10 | 10384229 | | Bakstykke IVE | Rear plate IVE | Cast iron, min.4mm thick |
| 10 | 10384236 | | Bakstykke IBE | Rear plate IBE | Cast iron, min.4mm thick |
| 10 | 10384246 | | Bakstykke GRE | Rear plate GRE | Cast iron, min.4mm thick |
| 10 | 10384247 | | Bakstykke BRM | Rear plate BRM | Cast iron, min.4mm thick |
| 10 | 10384248 | | Bakstykke BLM | Rear plate BLM | Cast iron, min.4mm thick |
| 10 | 10384249 | | Bakstykke GRM | Rear plate GRM | Cast iron, min.4mm thick |
| 11 | 10384318 | | Rørrammeholder | Tube frame holder | Cast iron, min.4mm thick |
| 12 | 10384412 | | Kanal | Air manifold | Cast iron, min.4mm thick |
| 13 | 10384592 | | Front BP | Front BP | Cast iron, min.4mm thick |
| 13 | 10384527 | | Front BBE | Front BBE | Cast iron, min.4mm thick |
| 13 | 10384532 | | Front OGE | Front OGE | Cast iron, min.4mm thick |
| 13 | 10384529 | | Front IVE | Front IVE | Cast iron, min.4mm thick |
| 13 | 10384536 | | Front IBE | Front IBE | Cast iron, min.4mm thick |
| 13 | 10384546 | | Front GRE | Front GRE | Cast iron, min.4mm thick |
| 13 | 10384547 | | Front BRM | Front BRM | Cast iron, min.4mm thick |
| 13 | 10384548 | | Front BLM | Front BLM | Cast iron, min.4mm thick |
| 13 | 10384549 | | Front GRM | Front GRM | Cast iron, min.4mm thick |
| 14 | 155690 | | Innerfront | Inner front | Cast iron, min.4mm thick |
| 15 | 10384792 | | Side høyre BP | Side right BP | Cast iron, min.4mm thick |
| 15 | 10384727 | | Side høyre BBE | Side right BBE | Cast iron, min.4mm thick |
| 15 | 10384732 | | Side høyre OGE | Side right OGE | Cast iron, min.4mm thick |
| 15 | 10384729 | | Side høyre IVE | Side right IVE | Cast iron, min.4mm thick |
| 15 | 10384736 | | Side høyre IBE | Side right IBE | Cast iron, min.4mm thick |
| 15 | 10384746 | | Side høyre GRE | Side right GRE | Cast iron, min.4mm thick |
| 15 | 10384747 | | Side høyre BRM | Side right BRM | Cast iron, min.4mm thick |
| 15 | 10384748 | | Side høyre BLM | Side right BLM | Cast iron, min.4mm thick |
| 15 | 10384749 | | Side høyre GRM | Side right GRM | Cast iron, min.4mm thick |
| 16 | 10384892 | | Side Venstre BP | Side left BP | Cast iron, min.4mm thick |
| 16 | 10384827 | | Side Venstre BBE | Side left BBE | Cast iron, min.4mm thick |
| 16 | 10384832 | | Side Venstre OGE | Side left OGE | Cast iron, min.4mm thick |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|----------------------------|-------------------------|--------------------------|--------------------------|
| 16 | 10384829 | | Side Venstre IVE | Side left IVE | Cast iron, min.4mm thick |
| 16 | 10384836 | | Side Venstre IBE | Side left IBE | Cast iron, min.4mm thick |
| 16 | 10384846 | | Side Venstre GRE | Side left GRE | Cast iron, min.4mm thick |
| 16 | 10384847 | | Side Venstre BRM | Side left BRM | Cast iron, min.4mm thick |
| 16 | 10384848 | | Side Venstre BLM | Side left BLM | Cast iron, min.4mm thick |
| 16 | 10384849 | | Side Venstre GRM | Side left GRM | Cast iron, min.4mm thick |
| 17 | 154476 | 35,36,40,49,50,78,79,80,82 | Front dør BP | Front door BP | Cast iron, min.4mm thick |
| 17 | 154477 | 35,36,40,49,50,78,79,80,82 | Front dør BBE | Front door BBE | Cast iron, min.4mm thick |
| 17 | 154478 | 35,36,40,49,50,78,79,80,82 | Front dør OGE | Front door OGE | Cast iron, min.4mm thick |
| 17 | 154479 | 35,36,40,49,50,78,79,80,82 | Front dør IVE | Front door IVE | Cast iron, min.4mm thick |
| 17 | 154480 | 35,36,40,49,50,78,79,80,82 | Front dør IBE | Front door IBE | Cast iron, min.4mm thick |
| 17 | 156171 | 35,36,40,49,50,78,79,80,82 | Front dør GRE | Front door GRE | Cast iron, min.4mm thick |
| 17 | 156330 | 35,36,40,49,50,78,79,80,82 | Front dør BRM | Front door BRM | Cast iron, min.4mm thick |
| 17 | 156548 | 35,36,40,49,50,78,79,80,82 | Front dør BLM | Front door BLM | Cast iron, min.4mm thick |
| 17 | 156984 | 35,36,40,49,50,78,79,80,82 | Front dør GRM | Front door GRM | Cast iron, min.4mm thick |
| 17 | 12034219 | 35,36,40,49,50,78,79,80,82 | Front dør SE BP | Front door SE BP | Cast iron, min.4mm thick |
| 18 | 10385092 | | Askeleppe BP | Ash lip BP | Cast iron, min.4mm thick |
| 18 | 10385027 | | Askeleppe BBE | Ash lip BBE | Cast iron, min.4mm thick |
| 18 | 10385032 | | Askeleppe OGE | Ash lip OGE | Cast iron, min.4mm thick |
| 18 | 10385029 | | Askeleppe IVE | Ash lip IVE | Cast iron, min.4mm thick |
| 18 | 10385036 | | Askeleppe IBE | Ash lip IBE | Cast iron, min.4mm thick |
| 18 | 10385046 | | Askeleppe GRE | Ash lip GRE | Cast iron, min.4mm thick |
| 18 | 10385047 | | Askeleppe BRM | Ash lip BRM | Cast iron, min.4mm thick |
| 18 | 10385048 | | Askeleppe BLM | Ash lip BLM | Cast iron, min.4mm thick |
| 18 | 10385049 | | Askeleppe GRM | Ash lip GRM | Cast iron, min.4mm thick |
| 19 | 154555 | 19,65 | Topp BP | Top BP | Cast iron, min.4mm thick |
| 19 | 154556 | 19,65 | Topp BBE | Top BBE | Cast iron, min.4mm thick |
| 19 | 154557 | 19,65 | Topp OGE | Top OGE | Cast iron, min.4mm thick |
| 19 | 154558 | 19,65 | Topp IVE | Top IVE | Cast iron, min.4mm thick |
| 19 | 154559 | 19,65 | Topp IBE | Top IBE | Cast iron, min.4mm thick |
| 19 | 156174 | 19,65 | Topp GRE | Top GRE | Cast iron, min.4mm thick |
| 19 | 156648 | 19,65 | Topp BRM | Top BRM | Cast iron, min.4mm thick |
| 19 | 156650 | 19,65 | Topp BLM | Top BLM | Cast iron, min.4mm thick |
| 19 | 156985 | 19,65 | Topp GRM | Top GRM | Cast iron, min.4mm thick |
| 20 | | | Rørholder øvre høyre | Tube holder upper right | Cast iron, min.4mm thick |
| 21 | | | Rørholder øvre venstre | Tube holder upper left | Cast iron, min.4mm thick |
| 22 | | | Rørholder nedre høyre | Tube holder bottom right | Cast iron, min.4mm thick |
| 23 | | | Rørholder nedre venstre | Tube holder bottom left | Cast iron, min.4mm thick |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|---------------------------|-------------------------------|---------------------------|--------------------------|
| 24 | 10385618 | | Inspeksjonsluke | Inspection cover | Cast iron, min.4mm thick |
| 25 | 154256 | 2,36,40,42,45,47,50,51,66 | Side dør BP | Side door BP | Cast iron, min.4mm thick |
| 25 | 154452 | 2,36,40,42,45,47,50,51,66 | Side dør BBE | Side door BBE | Cast iron, min.4mm thick |
| 25 | 154456 | 2,36,40,42,45,47,50,51,66 | Side dør OGE | Side door OGE | Cast iron, min.4mm thick |
| 25 | 154460 | 2,36,40,42,45,47,50,51,66 | Side dør IVE | Side door IVE | Cast iron, min.4mm thick |
| 25 | 154464 | 2,36,40,42,45,47,50,51,66 | Side dør IBE | Side door IBE | Cast iron, min.4mm thick |
| 25 | 156172 | 2,36,40,42,45,47,50,51,66 | Side dør GRE | Side door GRE | Cast iron, min.4mm thick |
| 25 | 156328 | 2,36,40,42,45,47,50,51,66 | Side dør BRM | Side door BRM | Cast iron, min.4mm thick |
| 25 | 156546 | 2,36,40,42,45,47,50,51,66 | Side dør BLM | Side door BLM | Cast iron, min.4mm thick |
| 25 | 156982 | 2,36,40,42,45,47,50,51,66 | Side dør GRM | Side door GRM | Cast iron, min.4mm thick |
| 26 | 154474 | 26,33,42,45,66 | Brennplate side/dør | Burnplate side/door | Cast iron, min.4mm thick |
| 27 | 10385912 | | Hvelv støpejern | Baffle plate cast iron | Cast iron, min.4mm thick |
| 27 | 220460 | | Hvelv Vermiculite | Baffle plate Vermiculite | 25MM Vermiculite |
| 28 | 154560 | 28,33,61,81 | Toppdeksel BP | Top cover BP | Cast iron, min.4mm thick |
| 28 | 154561 | 28,33,61,81 | Toppdeksel BBE | Top cover BBE | Cast iron, min.4mm thick |
| 28 | 154562 | 28,33,61,81 | Toppdeksel OGE | Top cover OGE | Cast iron, min.4mm thick |
| 28 | 154563 | 28,33,61,81 | Toppdeksel IVE | Top cover IVE | Cast iron, min.4mm thick |
| 28 | 154564 | 28,33,61,81 | Toppdeksel IBE | Top cover IBE | Cast iron, min.4mm thick |
| 28 | 156175 | 28,33,61,81 | Toppdeksel GRE | Top cover GRE | Cast iron, min.4mm thick |
| 28 | 156649 | 28,33,61,81 | Toppdeksel BRM | Top cover BRM | Cast iron, min.4mm thick |
| 28 | 156651 | 28,33,61,81 | Toppdeksel BLM | Top cover BLM | Cast iron, min.4mm thick |
| 28 | 156986 | 28,33,61,81 | Toppdeksel GRM | Top cover GRM | Cast iron, min.4mm thick |
| 28 | 351104 | | Kleber toppdeksel ekstrautsyr | Soapstone top cover extra | Soap stone |
| 29 | 116832 | | Mutter | Nut | M6 DIN 934 |
| 30 | 117096 | | Skrue sekskant rustfri | Screw hexagon stainless | M6x25, A4 |
| 30 | 117876 | | Skrue krave | Screw collar hexagon | M8x25mm |
| 31 | 117097 | | Skrue krave | Screw hexagon | M6x 50mm |
| 32 | 117099 | | Skrue krave | Screw collar hexagon | M6x25mm |
| 33 | 117117 | | Skrue krave | Screw hexagon | M6x 20mm |
| 34 | 117130 | | Skrue krave | Screw hexagon | M6x12mm |
| 35 | 117505 | | Skrue panh. | Screw panh. | M6x8 DIN 7985 |
| 36 | 117587 | | Skive sort krom | Washer blackchromating | 25x10,5x1,5 sortk. |
| 37 | 117588 | | Skive blank | Washer ELZN | ø6x12x0,5mm |
| 38 | 117703 | | Skrue sylindrhode | Screw cylinder head | M6x16mm |
| 39 | 118112 | | Skrue sylindrhode | Screw cylinder head | M6x60mm |
| 40 | 117733 | | Spennstift | Spring pin | Ø5X24 |
| 41 | 117796 | | Skrue pan h | Screw panh. | M6x40 |
| 42 | 117818 | | Skrue sekskant rustfri | Screw hexagon stainless | M6x16, A4 |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|---------------------|--------------------------------------|---------------------------------------|------------------------------------|
| 43 | 117831 | | Skrue innv. Sekskant | Screw allen | M6x90 St 12.9 |
| 44 | 117877 | | Skrue krave | Screw collar hexagon | M8x 30mm |
| 45 | 120004 | | Skive | Washer | Ø6.4x18x1,6mm |
| 46 | 124853 | | Skive klingerit | Washer insul. | Ø23XØ8,2X2 |
| 47 | 410761 | | Pakning (sidedør) | Gasket (side door) | LD-375-2 Ø9,5(3/8")x1300mm(5000mm) |
| 48 | 128011 | | Stengejern askedør | Latch ash door | 3MM Stainless steel |
| 49 | 410761 | | Pakning (frontdør) | Gasket (front door) | LD-375-2 Ø9,5(3/8")x1800mm(5000mm) |
| 50 | 126164 | | Fjær for klinke | Spring | 2mm Stainless steel |
| 51 | 126228 | | Stengejern sidedør | Latch bolt side door | Ø10mm Steel |
| 52 | 126229 | | Distansehylse | Sleeve | Ø8xØ6x27,5 |
| 53 | 126244 | | Treknott | Wooden knob | Hard wood |
| 53 | 151991 | 29,83,46,53,52,41 | Treknott + smådelar | Wooden knob + small parts | |
| 54 | 127075 | | Hengsel dubb front/sidedør sort | Hinge pin front/side door black | Ø6mm Steel |
| 54 | 125960 | | Hengsel dubb front/sidedør fornicket | Hinge pin front/side door nickl. Crom | Ø6mm Steel |
| 55 | 157103 | 44,7,58 (new parts) | Ventilhendel + ventil kompl NY | Valve handle + valve complete NEW | |
| 56 | 155738 | 39,56, | Trehåndtak askedør | Wooden knob ash door | |
| 57 | 128362 | | Askeskuff | Ash pan | 1mm steel plate |
| 58 | 128363 | | Hendel for luftventil GAMMEL TYPE | Handler for air vent OLD TYPE | Ø5mm Steel, nickl crom |
| | Use pos 55 | | Hendel for luftventil NY TYPE | Handler for air vent NEW TYPE | Ø5mm Steel, nickl crom |
| 59 | | | Mutter M10 | Nut M10 | M10 DIN 934 |
| 60 | | | Låsebolt askedør | Latch bolt ash door | Ø10mm Steel |
| 60 | 155713 | 39,48,50,56,59,60 | Håndtak askedør komplett | Handle ash door complete | |
| 61 | 128401 | | Klips | Clip | 4mm Stainless steel |
| 62 | 128408 | | Hengselbolt, askedør | Hinge pin, ash door | 8mm Steel |
| 63 | 410783 | | Pakning (askedør) | Gasket (ash door) | LD-250-2 Ø6,4(1/4")x1100mm(5000mm) |
| 63 | 410761 | | Pakning (askedør) | Gasket (ash door) | LD-375-2 Ø9,5(3/8")x1100mm(5000mm) |
| 64 | | | Pakning (askehus) | Gasket (ash house) | LD-250-2 Ø6,4(1/4")x1300mm(5000mm) |
| 65 | 410761 | | Pakning (topp) | Gasket (top) | LD-375-2 Ø9,5(3/8")x2100mm(5000mm) |
| 66 | 128903 | | Isolasjonsmatte | Insulation blanket | 245x200x13mm |
| 67 | 410783 | | Pakning (røyktut) | Gasket (smoke outlet) | LD-250-2 Ø6,4(1/4")x930mm(5000mm) |
| 68 | 129069 | | Glass | Glass | 4mm Ceramic glass |
| 69 | 129070 | | Hake | Catch | 6mm Steel |
| 70 | 129082 | | Ildfast sten | Refractory brick | 230x115x32mm |
| 71 | 129083 | | Isolasjonsmatte topp | Insulation blanket top | 680x270x13mm |
| 72 | | | Rør, bakre | Tube rear | Ø25,4 Stainless steel |
| 73 | | | Rør, midtre og fremre | Tube, middle and front | Ø25,4 Stainless steel |
| 74 | 12039592 | | Låsebrikke for rørholder | Locking bar for tube holders | Cast iron, min.4mm thick |
| 75 | 154330 | | Skjerplate bunn USA | Heat shield bottom USA | 0.9mm Steel |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|----------------------------------|-----------------------------------|--------------------------------------|------------------------------------|
| 75 | 129192 | | Skjermpate bunn EUR | Heat shield bottom EUR | 0.9mm Steel |
| 77 | 350956 | 76+77 | Skjermpate bakre + røykuttak EUR | Heat shield rear + top exit EUR | 0.9mm Steel |
| 77 | 154332 | 76+77 | Skjermpate bakre + røykuttak USA | Heat shield rear + top exit USA | 0.9mm Steel |
| 78 | 129208 | | Stengejern frontdør | Latch bolt front door | Ø10mm Steel |
| 79 | 153620 | | Glassklips | Glass clip | 0,9mm Steel |
| 80 | 410760 | | Pakning (dørglass) | Gasket (door glass) | LD-360 Ø9,2(11\32")x1500mm(5000mm) |
| 81 | 410760 | | Pakning (toppdeksel) | Gasket (top cover) | LD-360 Ø9,2(11\32")x1050mm(5000mm) |
| 82 | 10371292 | | Vrider (frontdør) Sort | Latch (front door) Black | Cast iron, min.4mm thick |
| 82 | | | Vrider (frontdør) Forniklet | Latch (front door) Nickel. Crom | Cast iron, min.4mm thick |
| 82 | 155461 | 29,36,40,41,46,50,52,53,78,82,83 | Vrider kompl (frontdør) Sort | Latch compl (front door) Black | |
| 82 | 155462 | 29,36,40,41,46,50,52,53,78,82,83 | Vrider kompl (frontdør) Forniklet | Latch compl (front door) Nickel crom | |
| 83 | | | Skive | Washer | Ø6,4XØ12,5X1,6 |
| 84 | 154257 | 20,21,22,23,43,45,72,73 | Luftkammer komplett | Air chamber complete | |
| 85 | 221031 | | Adapter lufttilførsel | Adater outside air | 0,75mm Alum \ aluzn |
| 86 | 10473392 | | Askeleppe side BP | Ash lip side BP | Cast iron, min.4mm thick |
| 86 | 10473327 | | Askeleppe side BBE | Ash lip side BBE | Cast iron, min.4mm thick |
| 86 | 10473329 | | Askeleppe side IVE | Ash lip side IVE | Cast iron, min.4mm thick |
| 86 | 10473332 | | Askeleppe side OGE | Ash lip side OGE | Cast iron, min.4mm thick |
| 86 | 10473336 | | Askeleppe side IBE | Ash lip side IBE | Cast iron, min.4mm thick |
| 86 | 10473346 | | Askeleppe side GRE | Ash lip side GRE | Cast iron, min.4mm thick |
| 86 | 10473347 | | Askeleppe side BRM | Ash lip side BRM | Cast iron, min.4mm thick |
| 86 | 10473348 | | Askeleppe side BLM | Ash lip side BLM | Cast iron, min.4mm thick |
| 86 | 10473349 | | Askeleppe side GRM | Ash lip side GRM | Cast iron, min.4mm thick |
| | 116654 | | Skrue sekskant | Screw hexagon | M8x30mm |
| | 117894 | | Nagle | Rivet | 4x12mm |
| | 117452 | | Skive | Washer | Ø8,4x20x1,5mm |
| | 150861 | | Boks med sort lakk | Box with black paint | |
| | 127254 | | Flaske med korrekturlakk BBE | Bottle of touch up paint BBE | |
| | 128543 | | Flaske med korrekturlakk OGE | Bottle of touch up paint OGE | |
| | 126061 | | Flaske med korrekturlakk IVE | Bottle of touch up paint IVE | |
| | 128098 | | Flaske med korrekturlakk IBE | Bottle of touch up paint IBE | |
| | 221569 | | Flaske med korrekturlakk GRE | Bottle of touch up paint GRE | |
| | 222651 | | Flaske med korrekturlakk BLM | Bottle of touch up paint BLM | |
| | 222650 | | Flaske med korrekturlakk BRM | Bottle of touch up paint BRM | |
| | 223500 | | Flaske med korrekturlakk GRM | Bottle of touch up paint GRM | |
| | 350735 | | Ben 215mm 4 stk BP | Legs 215mm 4 pcs BP | Cast iron, min.4mm thick |
| | 350736 | | Ben 215mm 4 stk BBE | Legs 215mm 4 pcs BBE | Cast iron, min.4mm thick |
| | 350755 | | Ben 215mm 4 stk IVE | Legs 215mm 4 pcs IVE | Cast iron, min.4mm thick |

Jøtul F 500

BP-350420, BBE- 350421, OGE- 350422, IVE- 350423, IBE- 350424, GRE- 350930, BRM - 351110, BLM - 351125, GRM - 351224

| Item no. | Spareparts | Consist of pos no | Benevnelse | Description | Dim./Spec. |
|----------|------------|-------------------|---------------------|----------------------|--------------------------|
| 350937 | | | Ben 215mm 4 stk GRE | Legs 215mm 4 pcs GRE | Cast iron, min.4mm thick |
| 351149 | | | Ben 215mm 4 stk BRM | Legs 215mm 4 pcs BRM | Cast iron, min.4mm thick |
| 351150 | | | Ben 215mm 4 stk BLM | Legs 215mm 4 pcs BLM | Cast iron, min.4mm thick |
| 361055 | | | Ben 215mm 4 stk GRM | Legs 215mm 4 pcs GRM | Cast iron, min.4mm thick |
| 350173 | | | Ben 155mm 4 stk BP | Legs 155mm 4 pcs BP | Cast iron, min.4mm thick |
| 350174 | | | Ben 155mm 4 stk BBE | Legs 155mm 4 pcs BBE | Cast iron, min.4mm thick |
| 350176 | | | Ben 155mm 4 stk IVE | Legs 155mm 4 pcs IVE | Cast iron, min.4mm thick |
| 350328 | | | Ben 155mm 4 stk OGE | Legs 155mm 4 pcs OGE | Cast iron, min.4mm thick |
| 350352 | | | Ben 155mm 4 stk IBE | Legs 155mm 4 pcs IBE | Cast iron, min.4mm thick |
| 350938 | | | Ben 155mm 4 stk GRE | Legs 155mm 4 pcs GRE | Cast iron, min.4mm thick |
| 351147 | | | Ben 155mm 4 stk BRM | Legs 155mm 4 pcs BRM | Cast iron, min.4mm thick |
| 351148 | | | Ben 155mm 4 stk BLM | Legs 155mm 4 pcs BLM | Cast iron, min.4mm thick |
| 361056 | | | Ben 155mm 4 stk GRM | Legs 155mm 4 pcs GRM | Cast iron, min.4mm thick |

Draw. no. 4-3493-P25